



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/756,086	01/13/2004	Christopher L. Oesterling	GP-304326 (2760/153)	3111
7590 08/06/2008				
Frank C. Nicholas CARDINAL LAW GROUP Suite 2000 1603 Orrington Avenue Evanston, IL 60201				
EXAMINER				
REGO, DOMINIC E				
ART UNIT		PAPER NUMBER		
2618				
MAIL DATE		DELIVERY MODE		
08/06/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/756,086

Applicant(s)

OESTERLING, CHRISTOPHER L.

Examiner

DOMINIC E. REGO

Art Unit

2618

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 July 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SF/ICE)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01/09/2007 has been entered.

2. This communication is responsive to the application filed on 07/15/2008. Claims 1-20 are pending and presented for prosecution.

Specification

3. The amendment filed 07/15/2008 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: Satellite radio receiver 140 can be embedded within telematics unit 120 or can be a separate component connected to the telematics unit 120, as shown.

Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 1,11, and 16 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant recites limitations "communicating the vehicle data upload command signal between the satellite radio receiver and a telematics unit on the vehicle" are not found in the original specification. Paragraphs 0022 and 0065, original specification stated "Satellite radio receiver 140 is embedded within telematics unit 120" which are different from above claimed limitations "between the satellite radio receiver and a telematics unit".

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 1-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Lange et al. (US Patent #6,704,564).

Regarding claims 1,11, and 16, Lange teaches a method of initiating a vehicle data upload function at a plurality of mobile vehicles, the method comprising:

monitoring a radio system broadcast channel using a satellite radio receiver (Col 1, lines 14-39: *Lange teaches in-vehicle telematics device typically includes various vehicle inputs that receive data relating to vehicle conditions (e.g., engine status, wiper status, air bag status, vehicle speed, et cetera (etc.)), an input to receive information relating to vehicle position (e.g., a Global Positioning System (GPS) receiver or GLOBAL NAVigation Satellite System (GLONASS) receiver), and a data/cellular transceiver*) in each of the plurality of mobile devices for a call center initiated vehicle data upload command signal sent to the plurality of mobile vehicles (Col 4, lines 9-26; Col 5, lines 6-41: *Lange teaches the trigger configuration signal 150 is transmitted from a service center or call center 170 that communicates with a plurality of telecommunication device. The telecommunications device 110 receives the trigger configuration signal 150 and preferably stored in memory 130. The trigger configuration signal 150 is an electronic message (data upload command signal related to vehicle or system properties, speed, temperature, system status, or position etc.) that instructs the telecommunications device 110 as to the triggers or combination of triggers to be applied at a given time. The configuration signal 150 preferably comprises a command instructing the device to update (upload) its trigger configuration. The command*

Art Unit: 2618

preferably specifies a particular telematics functions to which the trigger configuration signal applies (e.g., traffic reporting, fleet management, vehicle diagnostics, etc.); and,

for each of plurality of mobile vehicles, determining whether the vehicle data upload command signal corresponds to that mobile vehicle (Col 4, lines 9-26; Col 5, lines 6-41: Lange teaches the trigger configuration signal 150 is transmitted from a service center or call center 170 that communicates with a plurality of telecommunication device. The telecommunications device 110 receives the trigger configuration signal 150 and preferably stored in memory 130. The trigger configuration signal 150 is an electronic message (data upload command signal related to vehicle or system properties, speed, temperature, system status, or position etc.) that instructs the telecommunications device 110 as to the triggers or combination of triggers to be applied at a given time. The configuration signal 150 preferably comprises a command instructing the device to update (upload) its trigger configuration. The command preferably specifies a particular telematics functions to which the trigger configuration signal applies (e.g., traffic reporting, fleet management, vehicle diagnostics, etc.);

extracting the vehicle data upload command signal from the broadcast channel based on the determination (Col 4, lines 9-26; Col 5, lines 6-26, especially Col 4, lines 9-26, Lange teaches the trigger configuration signal 150 is an electronic message (data upload command signal) related to vehicle or system properties, speed, temperature, system status, or position etc) that instructs the telecommunications device 110 as to the triggers or combination of triggers to be applied at a given time. Each message trigger is an expression that defines one or more conditions that must be satisfied for

Art Unit: 2618

the telecommunications device 110 to transmit a message 140 to a service center 170.

The conditions are preferably based upon fixed parameters (e.g., vehicle or system properties) or dynamic values (e.g., speed, temperature, system status, or position) available to the telecommunications device 110 via sensors and/or other data input);

communicating the vehicle data upload command signal between the satellite radio receiver and a telematics unit on the vehicle (Col 1, lines 14-39: Lange teaches in-vehicle telematics device typically includes various vehicle inputs that receive data relating to vehicle conditions (e.g., engine status, wiper status, air bag status, vehicle speed, et cetera (etc.)), an input to receive information relating to vehicle position (e.g., a Global Positioning System (GPS) receiver or GLObal NAVigation Satellite System (GLONASS) receiver). Col 5, lines 6-41: Lange teaches the telematics device 210 preferably includes a wireless transceiver 220 (transmitter and GPS receiver or GLONASS receiver) that receives a configuration signal (vehicle data upload command signal) 250 from a service center (not shown) where telematics unit 210 includes GPS receiver to receive a configuration signal. The configuration signal 250 preferably comprises a command instructing the device to update (upload) its trigger configuration); and

performing a vehicle data upload function using the telematics unit based on the extracted vehicle data upload command signal (Col 5, lines 27-63: Lange teaches the telematics device 210 preferably includes a wireless transceiver 220 that receives a configuration signal 250 from a service center (not shown). The configuration signal 250 preferably comprises a command instructing the device to update (upload) its trigger

configuration. The command preferably specifies a particular telematics functions to which the trigger configuration signal applies (e.g., traffic reporting, fleet management, vehicle diagnostics, etc.). The configuration signal 250 comprises a dynamic logic expression 262. The configuration signal 250 instructs the telematics device 210 to update a trigger configuration so as to transmit a message relating to fleet management if the dynamic logic expression 262 is satisfied. Dynamic logic expression 263 relates to vehicle diagnostics and comprises the following expression: "If OIL_TEMPERATURE>150)." A message is transmitted by the telematics device 210 relating to the applicable telematics function if the dynamic logic expression associated with that function is satisfied).

Regarding claims 2,12,and 17, Lange teaches the method further comprising:
determining the plurality of mobile vehicles at a call center based on a service criterion (Col 5, lines 5-26).

Regarding claim 3, Lange teaches the method wherein the vehicle data upload function comprises a vehicle data type (Col 5, lines 26-42).

Regarding claim 4, Lange teaches the method wherein the vehicle data upload command signal comprises at least one telematics unit identifiers (Col 5, lines 5-10: *Lange teaches the trigger configuration signal 150 is transmitted from a service center 170 that communicates with a plurality of telecommunications devices (telematic devices). In order to communicate with a plurality of telecommunication devices (telematic devices), a service center 170 or call center must have an identification number of telematics unit for providing services).*

Regarding claims 5,13,and 18, Lange teaches the method wherein performing the vehicle data upload function comprises:

initiating a vehicle data upload call from a telematics unit in the plurality of mobile vehicles to a call center in response to the vehicle data upload command signal (Col 3, lines 34-47).

Regarding claims 6,14,19, Lange teaches the method wherein performing the vehicle data upload function comprises: initiating a vehicle data storage of data collected by the vehicle in at least one of the plurality of mobile vehicles in response to the vehicle data upload command signal (Col 3, lines 15-25; Col 5, lines 11-26; Col 5, line 64-Col 6, line 5).

Regarding claim 7, Lange teaches the method wherein the vehicle data upload command signal is associated with a vehicle type (Col 5, lines 27-63; Col 6, lines 6-26).

Regarding claim 8, Lange teaches the method wherein the vehicle data upload command signal is generated in response to a geographic based diagnostic event (Col 5, line 27-Col 6, line 26).

Regarding claim 9, Lange teaches the method wherein the vehicle data type is selected from a group consisting of vehicle performance data, vehicle diagnostic data, vehicle status data, and vehicle operational data (Col 4, lines 9-26; Col 5, line 27-Col 6, line 26).

Regarding claims 10,15, and 20, Lange teaches the method wherein determining at the plurality of mobile vehicles whether the vehicle data upload command signal corresponds to the mobile vehicle comprises:

comparing the plurality of telematics unit identifiers of the vehicle data upload command signal to a telematics unit identifier the mobile vehicle; and detecting if one of the plurality of telematics unit identifiers of the vehicle data upload command signal matches the telematics unit identifier of the mobile vehicle (*Col 5, lines 5-lines 62: Lange teaches the trigger configuration signal 150 is transmitted from a service center 170 that communicates with a plurality of telecommunications devices where each of the telecommunication devices or telematic devices have a identifier identify the trigger configuration signal*).

8. Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in its entirety as potentially teaching of all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

Response to Arguments

9. Applicant's arguments with respect to claims 1,11, and 16 have been considered but are moot in view of the new ground(s) of rejection. Regarding claims 1,11, and 16, Applicant argues that Lange is silent as to Applicant's claimed subject matter reciting a satellite radio receiver detecting a vehicle data upload command signal and

Art Unit: 2618

communicating that signal to a telematics device. The Examiner disagrees. First of all, above limitations are new matter which are not found in the original specification. In the original Specification, paragraphs 0022 and 0065, recites "satellite radio receiver 140 is embedded within telematics unit 120" which are different from above limitations. Col 1, lines 14-39, Lange teaches in-vehicle telematics device typically includes various vehicle inputs that receive data relating to vehicle conditions (e.g., engine status, wiper status, air bag status, vehicle speed, et cetera (etc.)), an input to receive information relating to vehicle position (e.g., a Global Positioning System (GPS) receiver or GLObal Navigation Satellite System (GLONASS) receiver. Col 5, lines 6-41: Lange teaches the telematics device 210 preferably includes a wireless transceiver 220 (transmitter and GPS receiver or GLONASS receiver) that receives a configuration signal (vehicle data upload command signal) 250 from a service center (not shown) where telematics unit 210 includes GPS receiver to receive a configuration signal. The configuration signal 250 preferably comprises a command instructing the device to update (upload) its trigger configuration.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DOMINIC E. REGO whose telephone number is (571)272-8132. The examiner can normally be reached on Monday-Friday, 8:30 am-5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dominic E. Rego
/Dominic E. Rego/
Examiner, Art Unit 2618
Tel 571-272-8132

/Matthew D. Anderson/
Supervisory Patent Examiner, Art Unit 2618